

AMTS

Magazine 2026



AMTS

The logo for AMTS features a stylized white graphic of a building's roofline above the letters "AMTS" in a bold, sans-serif font, all set against a solid orange background.

AMTS



A company of the SCHWENG Group



CONTENT

4 TERRASSENÜBERDACHUNGEN

Terrassenüberdachung S350 – 6
 Terrassenüberdachung S400 – 8
 Sommergarten S400 – 10
 Wintergarten – 12

14 CARPORTS

Flachdachcarport C600 – 16
 Flachdachcarport C600+ – 18
 Pultdachcarport S350 – 20
 Pultdachcarport S400 – 22

24 VORDÄCHER

Vordach S350 – 26
 Ganzglasvordach – 27

28 BESCHATTUNG

Kassettenmarkisen – 30
 Sommergarten Markisen – 32
 Senkrechtmarkisen – 34
 Lamellendächer – 36
 Faltpergola – 38

40 ZÄUNE & TORE

Zaun Z300 – 42
 Türen – 44
 Tore – 46

48 AUSSTATTUNGSELEMENTE

50 VARIANTEN

52 SOLAR ENPOW

54 IMPRESSIONEN

56 GROSSKUNDEN PROJEKTE

58 EIGENE HERSTELLUNG

WHY AMTS

— Take part in our success —

AMTS GmbH, a Schweng Group company, offers you excellent partnership opportunities as a retail partner and specialist. Benefit from our expertise and design your projects with high-quality, innovative outdoor living products from our own production.

As a TÜV-certified manufacturer of aluminium outdoor construction elements in accordance with DIN 1090 and a successful wholesale retailer throughout Europe, we offer you everything you need for success. Benefit from our distribution as a retail partner and install our products for your clients.

We offer you maximum support from Schweng to strengthen your own brand. Competent advice and product training are included. You will also receive comprehensive marketing support, including individual advice, product training and customised marketing materials. Branding with your own logo and personalised product labels will help you stand out in the market. Shape your future with our innovative solutions and strengthen your brand - we are your reliable partner for sustainable success.

WHAT WE OFFER!

Benefit from our offer!

LEAD DEAL

- You receive 5% commission with successful mediation

EXHIBITORS DEAL


- You sell and receive 15% commission per deal

DONE DEAL

- You receive 10% for every sale commission

PARTNER DEAL

- Attractive partner discounts on all products up to 40%



WE OFFER MORE THAN JUST PRODUCTS!



OWN PRODUCTION

We are a TÜV-certified manufacturer of outdoor living products, such as summer-gardens, patio roofs, flat roof carports, awnings and much more.



PERSONALIZED ADVERTISING MATERIAL

We provide you with personalized and individual advertising materials and sales documents such as brochures, flyers, offer folders, price lists and much more for the sale of your products.



QUALITY

We only use high-quality, powder-coated aluminum to manufacture our products. All materials come from Europe and can therefore be delivered quickly.



SAMPLE

We provide you with product samples so that you are optimally equipped for the presentation to your customer.



LARGE PRODUCT PORTFOLIO

We offer you a large product portfolio from various areas of assembly and construction technology.



PATENTED SYSTEMS

Thanks to their unique features, such as the innovative double chamber system, our S400 profile systems for patio roofs and summer gardens as well as the C600+ flat roof carport have been patented.



SHORT DELIVERY TIME

We offer you very short delivery times, which can also be customized by agreement.



FREE COLLECTION

You can collect the products free of charge from one of our 20 stores in Germany, Switzerland and Austria.



LOCATIONS


— *Pick-Up* —

All retailers have the option of collecting our products free of charge from one of a total of 20 AMTS locations in Germany and Austria. This allows us to offer you a particularly flexible and economical solution for goods logistics. Thanks to our comprehensive network of collection locations, you benefit from short travel distances and can pick up your orders quickly and easily.

Collection takes place conveniently at the selected location after prior arrangement. This makes it ea-

sier to plan delivery times and means that goods can be collected exactly when it suits your schedule. At the same time, you save on shipping costs and retain full control over transport and further processing.

With 20 AMTS locations in Germany and Austria, we ensure that our products are easily accessible to retailers at all times. This facilitates cooperation and ensures efficient and reliable processing of your orders.



COMPANY OVERVIEW

— Schweng Holding —



A company of the SCHWENG Group



A company of the SCHWENG Group

PRODUCTS

- Patio roofs, carports, awnings, garden room and other outdoor construction elements for the outdoor living sector

INSTALLATION

- Europe-wide installation

PRIVATE CUSTOMERS

- Sale of products directly to the end customer

B2B CLIENTS

- Sale of products, from project planning to installation to customers in the B2B sector

CONTACT

- grosskunden@schweng.eu

PRODUCTION

- Production of aluminum profiles

SPECIALIST RETAILER

- Sale of raw materials and exterior construction elements to retail partners

CONTACT

- info@amts-gmbh.de

PRODUCTS

- Complete photovoltaic system
- Industrial & large-scale systems
- Battery storage systems
- Wallbox
- Patio canopy-/carport power plant

ASSEMBLY & INSTALLATION

- Advice, assembly and installation - everything from a single source!

CONTACT

- info@enpow.de

WITH A PATIO CANOPY FROM AMTS, YOU CAN BE SURE YOU HAVE MADE THE PERFECT CHOICE FOR YOUR HOME. EACH MODEL CAN BE INDIVIDUALLY TAILORED TO YOUR NEEDS. ALWAYS.

Patio **CANOPY**



S350

— Patio Canopy —

The S350 aluminium patio canopy from AMTS offers a cost-effective alternative to the S400 without compromising on quality. It is ideal for stylishly protecting your patio and enjoying outdoor living all year round.

The S350 impresses not only with its functionality, but also with its high-quality workmanship. Every detail has been carefully crafted, from the precise connections to the elegant surfaces.

— The basic S350 model impresses with its attractive price and wide range of equipment options for maximum flexibility.

EQUIPMENT OPTIONS

The S350 stands out thanks to its robust aluminium construction, which guarantees excellent stability and durability. At a depth of 3.50 metres, you still have a wide range of equipment options available to customise your patio roof. Whether side walls, shading options or additional features – design your protected outdoor area entirely according to your needs. All equipment options can be combined as desired using a modular system. All equipment options can be found on p. \$\$.

The canopy is available in customised sizes and can be connected endlessly in width to optimally adapt to the conditions of your patio. In addition to the standard colours, you can also choose from a variety of special colours to perfectly match the canopy to the architecture of your home.

SIZE

Individual module

max. 7,00m × 3,50m × 3,00m (W × D × H)

The system can be coupled endlessly in width.

PROFILE COLORS



ROOFING



Laminated safety glass | Polycarbonate
Solar glass

Standard inclination 8° (14cm/m)

Can be realized with a restriction of 5° - 12°

Drainage via integrated rain gutter

Hidden by the post

Snow load assumption 75 kg/m²

INSTALLATION TYPE



Freestanding | Wall-mounted

SHADING OPTIONS



Roof-mounted awning | Under-roof awning




Vertical awning | Sun sail

EQUIPMENT OPTIONS



Side panels | Equipment room



Radiant heaters | Lighting | Railings

Terrace roof power plant





PROFILES



WALL PROFILE



WALL PANEL



POST



RAFTER



COVER PROFILE



230/110 BEAM



RAIN GUTTER



SIDE COVER

S400

— Patio Canopy —

Spring is blossoming and slowly but surely the sun is peeking out from behind the clouds. Life is awakening and drawing us outdoors. We are now eagerly tackling everything that was too cold and unpleasant to do in winter.

In addition to various gardening tasks, this also includes preparing the patio so that we can enjoy spending time there.

A patio canopy will enhance your patio. No longer do you have to rush to get everything, including yourself, to safety when it starts to rain. Under the protective canopy, you can listen to the patter of rain in complete peace.

MODERN DESIGN

Our S400 profile system stands out thanks to its simple and modern design. During development, we took particular care to ensure that functionality was not neglected and that practical advantages were at the forefront.

Thanks to its special double walls, there are no structural weak points when attaching side walls or sliding glass systems. This system does not require drilling directly into the rain gutter, thus preventing leaks. In addition, a roof awning can be installed without attachment profiles.

EQUIPMENT OPTIONS

Each of our patio canopies can be expanded with many different elements, both during the planning stage and long after completion. Additional side walls, awnings, a storage room or other equipment can be added at any time. In addition, the patio canopy can be converted into a garden room with a sliding glass system.

All equipment options can be combined as desired using a modular system. All equipment options can be found on p. \$\$

SIZE

Individual module

max. 7,00m × 5,00m × 3,00m (W × D × H)

The system can be coupled endlessly in width.

PROFILE COLORS



ROOFING



Laminated safety glass | Polycarbonate
Solar glass

Standard inclination 8° (14cm/m)

Can be realized with a restriction of 5° - 12°

Drainage via integrated rain gutter

Hidden by the post

Snow load assumption 75 kg/m²

INSTALLATION TYPE



Freestanding | Wall-mounted

SHADING OPTIONS



Roof-mounted awning | Under-roof awning




Vertical awning | Sun sail

EQUIPMENT OPTIONS



Sliding system | Side panels | Equipment room



Radiant heaters | Lighting | Railings
Terrace roof power plant





PROFILES



WALL PROFILE



WALL PANEL



POST



RAFTER



COVER PROFILE



230/110 BEAM



RAIN GUTTER



SIDE COVER

S400

— Garden room —

There is no better place to live and relax than in the fresh air. A patio canopy offers good protection from the sun or summer rain in summer. As soon as fall arrives, however, this is no longer enough. The weather gets worse and worse and the days without rain can usually be counted on one hand. But you still want to spend time in the garden despite the bad weather. Our S400 summer garden is the perfect solution.

Our S400 profile system is not only perfect as a patio canopy, but also as an exclusive upgrade to the garden room. All-round protection turns the patio into a weather-protected oasis of well-being. This means that moody autumn thunderstorms and even a light gale can no longer stand in the way of relaxation.

WHEN DOES A PATIO CANOPY BECOME A GARDEN ROOM?

A patio canopy becomes a garden room by “closing” all sides. To do this, the patio roof is extended all the way round with side panels or sliding glass systems.

Sliding glass systems allow the summer garden to be opened and closed as required and enable perfect heat regulation. This means that, unlike a simple patio canopy, it can also be used in the colder months of the year. It can also be heated with an additional radiant heater.

— *Outdoor living in every season.*

NEW - THE “SHADING PANEL” FOR SLIDING GLASS SYSTEMS

Effective sun protection for maximum comfort that can be easily slid into the desired position.

SIZE

Individual module

max. 7,00m × 5,00m × 3,00m (W × D × H)

The system can be coupled endlessly in width.

PROFILE COLORS



ROOFING



Laminated safety glass | Polycarbonate

Solar glass

Standard inclination 8° (14cm/m)

Can be realized with a restriction of 5° - 12°

Drainage via integrated rain gutter

Hidden by the post

Snow load assumption 75 kg/m²

INSTALLATION TYPE



Freestanding | Wall-mounted

SHADING OPTIONS



Roof-mounted awning | Under-roof awning




Vertical awning | Sun sail

EQUIPMENT OPTIONS



Sliding system | Side panels | Equipment room



Radiant heaters | Lighting | Railings

Terrace roof power plant





PROFILES



WALL PROFILE



WALL PANEL



POST



RAFTER



COVER PROFILE



230/110 BEAM



RAIN GUTTER



SIDE COVER

W80

— Conservatory —

A conservatory is the perfect combination of indoor space and terrace. In your new conservatory, you can enjoy views of your garden in almost every direction while still being protected from the cold, rain, wind and insects. Fulfil your dream of a light-filled living space surrounded by greenery: with a custom-made conservatory from AMTS, you can bring the experience of nature directly to your home 365 days a year.

PERSONALISATION AND DESIGN OPTIONS

Design your conservatory exactly as you want it and make your dream come true. Why should you only sit outside in summer when, with a conservatory from AMTS, you can enjoy nature even in the cold months? And that without freezing. Thanks to our wide range of customisation options, you can choose to have a bespoke conservatory tailored to your individual wishes.

WHY CHOOSE A CONSERVATORY FROM AMTS?

Turn your garden into living space. Many plants thrive in conservatories, and you can also plant a wide variety of flora around the conservatory. This allows you to sit in your conservatory surrounded by nature without compromising on comfort. While temperatures are often too low in normal patio canopies in autumn, you can still sit comfortably in your conservatory even in the depths of winter.

And that's not all – with a conservatory from AMTS, you get so much more than just an all-round glazed patio canopy!

SIZE
Individual module
max. 7,00m × 5,00m (W × D)
The system can be coupled endlessly in width.

PROFILE COLORS


ROOFING

Toughened safety glass

INSTALLATION TYPE

Wall-mounted

SHADING OPTIONS


Roof-mounted awning | Under-roof awning

sun sail

EQUIPMENT OPTIONS



Sliding system | Window | Door

— *The best living space
for every season.*



AN AMTS CARPORT IS THE PERFECT CHOICE FOR YOUR HOME AND YOUR VEHICLE. EACH MODEL IS INDIVIDUALLY TAILORED TO YOUR NEEDS – FUNCTIONAL, STYLISH AND DURABLE. ALWAYS.

Premium
CARPORT



TS

C600

— Flat roof carport —

The C600 flat roof carport is the basic model of the C600+ flat roof carport.

It is perfect for anyone who wants to protect their vehicle from the elements while placing great importance on design, robustness and durability.

The flat roof with a 2% slope not only gives the carport a modern aesthetic, but also ensures efficient drainage of rainwater. This is achieved by the ingenious patented profile system, which uses an internal rain gutter. This way, your vehicle always stays dry and protected.

Thanks to the coupling system, the width can be expanded endlessly in a modular fashion, allowing you to tailor the canopy precisely to the customer's needs. Whether for a single vehicle or several, this carport offers you flexibility.

The wide range of equipment options allows you to customise your carport. From side walls to various colour options – adapt the C600 flat-roof carport to your liking.

PURE

The C600 is our basic flat roof carport model and is designed for customers who are looking for a solid roofing solution with an attractive design. This model features a high-quality aluminium construction and first-class materials that provide reliable protection against the elements and UV radiation.

The C600 is ideal for customers who are looking for a simple roofing solution that still offers a solid construction and an attractive design.

With its simple assembly and low-maintenance construction, the C600 flat roof carport is the ideal choice for anyone looking for a reliable

SIZE

Individual module

max. 6,00m × 7,00m × 3,00m (W × D × H)

The system can be coupled endlessly in width.

Overhang only possible in depth on both sides
(max. 1000 mm)

PROFILE COLORS



ROOFING



Trapezoidal sheet with fleece

Minimum slope 2%

Snow load acceptance 75 KG / m²

Drainage via integrated rain gutter hidden in the post

INSTALLATION TYPE



Freestanding

EQUIPMENT OPTIONS



Screen walls | Side panels | Equipment room



Roller shutter | Lighting | Railing

— *High standards, low price – the home for your vehicle.*

and cost-effective solution for parking their vehicle and increasing the value of their home. Invest in quality and functionality with the C600 flat roof carport from AMTS – your partner for high-quality carport solutions.



PROFILES



L-PROFILE



L-COVER



POST



RAFTER



RAFTER 60/200



TRAPEZOIDAL SHEET



RAIN GUTTER



SIDE COVER

C600+

— Flat roof carport —

Clean lines, modern design and maximum functionality: flat-roof carports have become a particularly popular alternative in recent years. The C600+ flat-roof carport differs from a conventional pent roof primarily in its visually low pitch. The roof appears almost flat, but has a subtle 2% slope to ensure unobstructed rain-water drainage. The water is directed through an internal water channel in the posts, hiding unsightly downpipes.

The flexible design of the C600+ makes it possible to cover large areas, as the individual units can be easily connected to each other without restrictions. This allows large rows of carports to be erected. This special design also makes it possible to construct tall structures.

This means that caravans and buses can also be stored in a dry and safe place.

Like all our canopies, the C600+ can also be fitted with side walls. But that's not all! With closed side walls all around and a rolling garage door, you can convert your carport into a fully-fledged garage in just a few steps.

Thanks to its reinforced rafters, the C600+ flat roof carport has been specially designed for the installation of a green roof or a photovoltaic system.

— *It couldn't be any more comfortable!*

SOLAR

Solar panels on a carport are one way to generate renewable energy while also providing protection for your vehicle. The solar panels are attached to the roof of the carport using special brackets. The solar panels can be aligned to capture maximum solar energy and convert it into electrical power. The electricity generated can then be used either directly in the house or

SIZE

Individual module
max. 6,00m × 7,00m × 3,00m (W × D × H)
The system can be coupled endlessly in width.
Overhang only possible in depth on both sides
(max. 1000 mm)

PROFILE COLORS



ROOFING



Trapezoidal sheet with fleece
Minimum slope 2%
Snow load acceptance 75 KG / m²
Drainage via integrated rain gutter hidden in the post

INSTALLATION TYPE



Freestanding

EQUIPMENT OPTIONS





Screen walls | Side panels | Equipment room





Roller shutter | Lighting | Railings




Green roof | Solar panels

carport, or fed into the grid to generate income through feed-in tariffs. By installing a wallbox, you can use the energy generated to charge your electric car, for example. Solar panels on a carport are not only an environmentally friendly alternative to conventional power sources, but also offer you a long-term, passive income, thus financing the roofing itself.

26



PROFILES



L-PROFILE



L-COVER



POST



RAFTER



RAFTER 60/200



TRAPEZOIDAL SHEET



RAIN GUTTER



SIDE COVER

S350

— Angled roof carport —

The S350 pent roof carport offers an inexpensive and well-designed alternative to the S400. With its reduced depth, it is ideal as a single carport. If you are looking for an inexpensive, functional yet high-quality vehicle shelter, this is the perfect solution.

The sturdy carport from AMTS reliably protects your vehicle from all weather conditions. Whether rain, snow, hail or the often underestimated sun, whose UV rays attack car paintwork, the S350 safely shields cars, bicycles and garden tools from the environment.

— *Simplicity can be so elegant. The S350 angled roof carport enhances any driveway.*

CUSTOMISATION

Like all of our in-house carports, this one is also designed to allow for flexible, oversized installations with varying depths, e.g. around a bay window, or even fan-shaped installations.

EXTENSION

With the help of side walls or privacy screens, this model can also be expanded into an open or closed garage version. Thanks to the intelligent profiles, this can still be done even after many years.

SIZE

Individual module
max. 7,00m × 3,50m × 3,00m (W × D × H)
The system can be coupled endlessly in width.

EQUIPMENT OPTIONS





Screen walls | Side panels | Equipment room




Lighting | Railing

PROFILE COLORS





ROOFING





Laminated safety glass | Polycarbonate
Solar glass

Standard inclination 8° (14cm/m)
Can be realized with a restriction of 5° - 12°
Drainage via integrated rain gutter
Hidden by the post
Snow load assumption 75 kg/m²

INSTALLATION TYPE




Freestanding | Wall-mounted

INDIVIDUAL

Design your carport to be as individual as your home. Customise the colour to suit your preferences and create a harmonious look or a striking eye-catcher as a highlight in your driveway.



PROFILES



WALL PROFILE



WALL PANEL



POST



RAFTER



COVER PROFILE



230/110 BEAM



RAIN GUTTER



SIDE COVER

S400

— Angled roof carport —

A carport fulfils a clear purpose: it should protect your vehicle safely – from rain, snow, hail and sun. But the S400 angled roof carport from AMTS goes far beyond this basic function. It combines architectural elegance with maximum stability, making it a real design feature for your home.

The striking pent roof with its gently sloping shape not only ensures a modern, clear look, but also efficient water drainage. At the heart of this design is the integrated double-chamber rain gutter, which offers two impressive benefits: it reliably drains rainwater and also provides additional sealing for add-on elements. Even in heavy rainfall, the S400 remains robust, dimensionally stable and functional – and does so permanently, thanks to high-quality aluminium profiles and precise workmanship.

In summer, the S400 reliably protects your vehicle from intense sunlight and prevents the interior from overheating. At the same time, it protects your car's paintwork from harmful UV radiation, depending on the roof covering you choose. In winter, the sturdy roof offers reliable protection from snow and ice.

— A carport that not only protects, but also impresses.

GARAGE YES OR NO?

In addition to all its practical protective functions, the carport offers an inexpensive alternative to a costly garage that would take weeks to build.

Whether during the planning stage or afterwards, the S400 carport can be retrofitted at any time and thus transformed into a garage.

SIZE

Individual module
max. 7.00m × 5.00m × 3.00m (W × D × H)
The system can be coupled endlessly in width.

PROFILE COLORS



ROOFING





Laminated safety glass | Polycarbonate
Solar glass
Standard inclination 8° (14cm/m)
Can be realized with a restriction of 5° - 12°
Drainage via integrated rain gutter
Hidden by the post
Snow load assumption 75 kg/m²

INSTALLATION TYPE




Freestanding | Wall-mounted

EQUIPMENT OPTIONS





Screen walls | Side panels | Equipment room





Roller shutter | Lighting | Railing

CUSTOMISATION

Our profiles are extremely flexible and have been designed to adapt to all circumstances. This makes it possible to create oversized systems, fanned-out systems or systems with different depths, e.g. around a bay window.





PROFILES



WALL PROFILE



WALL PANEL



POST



RAFTER



COVER PROFILE



230/110 BEAM



RAIN GUTTER



SIDE COVER



ENTRANCE CANOPY

PROTECTION MEETS STYLE: WITH AN ENTRANCE CANOPY FROM AMTS, YOUR ENTRANCE STAYS DRY AND ELEGANT – INDIVIDUALLY TAILORED TO YOUR HOME. ALWAYS.

Individual **CANOPIES**



S

S350

— Entrance canopy —

An entrance canopy belongs to every house like a front door in the door frame. After all, there is a saying “Leaving someone out in the rain” for a reason. This will not happen with an entrance canopy S350 from AMTS.

**— Ein klares
Statement für Design
und Funktionalität
kombiniert mit
effektivem Schutz zu
jeder Jahreszeit.**

UNLIMITED PLANNING FREEDOM

As with all products in our range, there are no limits to the design possibilities when installing an entrance canopy. To find the best option for you, ask yourself the following questions:

What makes sense for me?

Do I need side panels to protect the door area from wind and prying eyes?

Would a railing be advisable because my entrance is on a raised platform?

Or would a connecting passageway from the carport to the front door be useful so that I can enter my house undisturbed and dry even when it rains?

We are happy to assist you with all these questions and many more to help you find the right roofing solution for you.

SIZE

Individual module


max. 7,00m × 3,50m × 3,00m (W × D × H)

The system can be coupled endlessly in width.

PROFILE COLORS



ROOFING



Laminated safety glass | Polycarbonate

Solar glass

Standard inclination 8° (14cm/m)

Can be realized with a restriction of 5° - 12°

Drainage via integrated rain gutter

Hidden by the post

Snow load assumption 75 kg/m²

INSTALLATION TYPE



Freestanding | Wall-mounted

EQUIPMENT OPTIONS



Sliding system | Side panels | Vestibule



Radiant heaters | Lighting | Railings

CANOPY FOR ALL ENTRANCES

Of course, the options and possibilities offered by an entrance canopy are not limited to the main entrance. A cellar entrance with an external staircase can also be covered and protected from rain, so that you don't slip on the wet steps.





PROFILES



WALL PROFILE



WALL PANEL



POST



RAFTER



COVER PROFILE



230/110 BEAM



RAIN GUTTER



SIDE COVER

ALL-GLASS

— Entrance canopy —

The entrance area is the first thing guests see – and often the area most exposed to the weather. The AMTS all-glass canopy combines practical protection with elegant design. Rain, snow or strong sunshine are reliably kept out, while the clear glass surface brings light and openness to your home entrance.

The robust support frame ensures stability and durability, so that the canopy provides reliable protection at all times, even in changeable weather. The transparent construction appears light and modern without dominating the architecture of your home. The result is an entrance area that is not only functional, but also inviting and stylish.

The all-glass canopy is more than just weather protection: it is an architectural element that combines aesthetics, quality and comfort. Minimalist, elegant and durable – a product that enhances any entrance area and gives your home a special touch.

SIZE
max. 3,00m × 1,50m (W × D)

PROFILE COLORS


ROOFING

Laminated safety glass

INSTALLATION TYPE

Wall-mounted

**— Elegant protection
with clean lines: light-
flooded, weatherproof
and stylishly modern.**





Awnings & **SHADING**

ENJOY THE SUN JUST THE WAY YOU LIKE IT: WITH AWNINGS AND SHADING FROM AMTS, YOU CAN ENJOY YOUR OUTDOOR SPACE IN COMFORT AT ANY TIME – STYLISH, FUNCTIONAL AND PERFECTLY PROTECTED FROM THE SUN AND HEAT. ALWAYS.

CASSETTE

— Awnings —

Both the half and full cassette awning consist of two or more sturdy aluminum articulated arms, depending on the width, on which the awning fabric is extended over the patio. The difference to a normal folding arm awning lies in the cassette, in which both the folding arms and the awning fabric are safely and securely stored when the awning is closed.

With a half cassette, only the awning fabric is protected from the weather from above, while the frame is visible from below, but largely unaffected by its position.

A full cassette offers complete protection for both the fabric and the entire frame, both of which are retracted into the cassette and enclosed by its outer walls so that they are completely protected from all influences.

What's more, despite all that is stowed away in its cassette, the overall construction is neither bulky nor ostentatious, but subtly blends in with the wall as a seemingly simple crossbar. As a result, it harmonizes with almost any façade and cuts a fine figure anywhere.

***— Protected, elegant,
durable — your cassette
awning for sunny days.***

NOVA HÜPPE PRIMA C1 - Full cassette awning



NOVA HÜPPE PLUS F - Full cassette awning



GARDEN ROOM

— Awnings —

Our garden room awnings are specially designed for use in combination with patio canopies. Attached to the roof, they can be variably adjusted according to the way you wish. A distinction is made between on-roof and under-roof awnings and sun sails.

ROOF AND UNDER-ROOF AWNINGS

Roof-mounted awnings are installed on the patio canopy, which prevents the covering from heating up and it becoming too hot under the canopy. However, the open position means that the awning can get dirty more easily and has to be retracted in bad weather.

Under-roof awnings, on the other hand, are installed directly under the roof and are therefore protected from the weather. With an under-roof awning, however, the patio canopy heats up somewhat faster than with an on-roof awning.

SUN SAILS

Sun sails are a particularly lightweight and, above all, cheaper alternative. They are stretched in fabric panels between the rafters on stainless steel cables and can be opened and closed manually and separately. The fabric panels can be washed at up to 40°C.

— *Compact, practical,
stylish – your awning
for every moment of
summer.*



AMTS TSZ 600 - Roof awning

The first affordable roof-mounted awning: top quality at a fair price, cheaper than under-roof awnings and PFB-certified for safety and durability.

With the TSZ 600 roof-mounted awning, AMTS is setting new standards in sun protection and comfort. Specially developed for conservatories and patio roofs, the awning not only offers perfect protection from the sun and heat, but also features modern design and innovative technology.

INTELLIGENT CONTROL AND SMART HOME COMPATIBILITY

The modern IO radio remote control ensures maximum ease of use. It allows you to control the awning conveniently at the touch of a button – with no effort at all. It becomes even smarter thanks to its compatibility with Somfy Smart Home: the TSZ 600 can be easily integrated into existing smart home systems, allowing control and automation to be tailored to individual requirements. Whether via app, voice control or automated scenarios – the technology ensures maximum convenience in everyday life.

SIZE

Individual module

max. 6,00m × 4,00m (W × D)

Coupled module

max. 12,00m × 4,00m (W × D)

AWNING FABRIC COLOR



Colors for the awning fabric according to fabric sample catalog

CONTROLS



Electric/ io radio motor

GENEROUS DIMENSIONS AND FLEXIBLE EXPANSION

The TSZ 600 impresses with its standard dimensions of 6000 mm width and 4000 mm projection depth – ideal for large areas. The special highlight: the awning can be connected endlessly in width. This means that even particularly spacious terraces or summer gardens can be shaded without gaps – an advantage for discerning homeowners and catering businesses.



NOVA-HÜPPE TREND 200 - Under-roof awning



SIZE

Individual module

max. 6,00m × 4,00m (W × D)

Coupled module

max. 10,00m × 4,00m (W × D)

AWNING FABRIC COLOR



Colors for the awning fabric according to
fabric sample catalog

CONTROLS



Electric/ io radio motor | Hand crank

PEDDY SHIELD SUN SAIL



SIZE

Individual module

max. 1,00m × 5,05m (W × D)

AWNING FABRIC COLOR



Plain white, plain ivory,
plain silver gray

CONTROLS



manual pole

NOVA-HÜPPE TREND 250 (SZ) - Under-roof awning

SIZE**Individual module**

max. 6,00m × 5,00m (W × D)

Coupled module

max. 10,00m × 5,00m (W × D)

AWNING FABRIC COLOR

Colors for the awning fabric according to
fabric sample catalog

CONTROLS

Electric/ io radio motor | Hand crank



NOVA HÜPPE TREND 350 (SZ) - Roof awning

SIZE**Individual module**

max. 6,00m × 5,00m (W × D)

Coupled module

max. 10,00m × 5,00m (W × D)

AWNING FABRIC COLOR

Colors for the awning fabric according to
fabric sample catalog

CONTROLS

Electric/ io radio motor



VSZ

— Vertical awning —

There are few things more relaxing on a long summer's day than spending time on the patio. A patio roof with a summer garden awning protects you from direct sunlight from above, allowing you to enjoy the warmth without getting sunburnt. At certain times of the day, however, the sun can still find its way under the roof and cause unpleasant glare.

We have the perfect solution!

With a VSZ vertical awning, you can control the vertical sun protection 100%. Mounted flush between the posts of the canopy or on the wall, it can be conveniently adjusted using a remote control. And since lowering it by just 50 cm is usually enough to block out the glare, you don't have to worry about sitting in the dark afterwards. What's more, the translucent fabric of the privacy screen reduces the intensity of the sun's rays almost completely,

so you don't have to forego natural daylight even when the screen is lowered.

LIGHT SLITS ARE A THING OF THE PAST

Due to the special design of the AMTS VSZ vertical awning, the side slits that allowed isolated rays of light to pass through have been eliminated.

Side hem guides ensure that the awning fabric runs flush along the post from top to bottom, preventing these rays from passing through.

This also makes the awning more stable and keeps it in position even in windy conditions.

SIZE

Individual module VSZ 105

max. 4,00m × 3,25m (W × D)

min. 0,90m × 0,50m (W × D)

Individual module VSZ 125

max. 5,00m × 3,25m (W × D)

min. 4,00m × 0,50m (W × D)

AWNING FABRIC COLOR



Colors for the awning fabric according to fabric sample catalog

CONTROLS



Electric/ io radio motor

*— Sun and privacy
protection combined
in one product without
compromise.*

RETROFITTING?

It often happens that you only realise afterwards that an awning would have been quite practical.

No problem! All our profiles have been designed so that they can be extended and retrofitted with a vertical awning at any time.

Thanks to our in-house production at our Butzbach site, we can act quickly and produce a suitable solution for your existing patio.



MAESTRO

— Louvered Roofs —

When it comes to the question of which type of patio canopy is the most photogenic and provides the best template for pictures, the answer in most cases is louvered roof. But what about the question of whether it can also offer good functionality in addition to its elegant design? This can definitely be answered in the affirmative due to its exceptional functionality. Unlike a classic patio canopy, the roof can be opened and closed as desired in summer and provides different amounts of shade depending on the position of the slats. This means that there is no need for an additional or under-roof awning. In the event of rain, the slats must be closed completely to prevent the area underneath from becoming soaked.

The forward-looking and innovative Maestro is a versatile product for outdoor use. At its core, the Maestro pergola consists of a freestanding aluminium structure fitted with movable slats. The special design of the Maestro allows it to be connected to various other structures without having to double the number of posts. The dimensions of the Maestro can be customised to suit individual requirements. This means that even very large areas can be covered with minimal effort and an elegant, stylish solution.

SIZE

Individual module

max. 6.20m × 4.70m / 7.00m × 4.00m (W × D × H)

The system can be coupled endlessly.

PROFILE COLORS



12 standard colors

SLATS



20.8cm wide | 135° tiltable

INSTALLATION TYPE



Freestanding | Wall-mounted

CONTROLS



Radio motor incl. Arco 10 remote control

— *Innovative technology
for outdoor use.*



ALBA

— Louvered Roofs —

The Alba pergola is a special form of bioclimatic pergola whose aluminum slats can be rotated by up to 150° by remote control, allowing optimum control over the desired amount of sunlight and air. When the slats are closed, all water falling on them is directed into the posts and over them to the ground.

The Alba pergola can be coupled over an area of 600 x 608 cm without intermediate posts. Only grid dimensions apply.

The motor, which controls the inclination and rotation of the slats, is located on the long side and is shielded from outside influences by a protective cover.

A Zip-Screen awning can also be added as an add-on element.

*— Comfort and
precision in a modern
design.*

SIZE

Individual module

max. 6.08m × 4.50m × 3.00m (W × D × H)

The system can be coupled endlessly.

PROFILE COLORS



12 standard colors

SLATS



20.8cm wide | 150° tiltable

INSTALLATION TYPE




Freestanding | Wall-mounted

CONTROLS



Radio motor incl. Arco 10 remote control



ETERIA

— Louvered Roofs —

The Eteria is a bioclimatic pergola from Corradi that appears simple at first glance but is extremely sophisticated. It impresses with its elegant design, high-quality materials and well-thought-out functionality. The aluminium slats can be adjusted by up to 120° using a hand crank, allowing the light and air supply to be individually regulated at any time.

Thanks to its integrated rain gutters, the pergola is completely weatherproof when the roof is closed and efficiently drains rainwater via the slats. This keeps the area underneath pleasantly dry and protected. Another advantage is the individual planning options: the opening direction of the slats can be determined during the construction planning stage and optimally adapted to the location.

SIZE
Individual module
max. 3.50m × 3.95m × 3.00m (W × D × H)

PROFILE COLORS


SLATS


20.8cm wide | 120° tiltable

INSTALLATION TYPE


Freestanding | Wall-mounted

CONTROLS

Hand crank

FREE CHOICE OF SEATING

Particularly noteworthy is the Eteria's virtually unlimited choice of location, as it does not rely on electricity thanks to its hand crank drive. This makes it perfect for any spot in the garden.

— *Maximum freedom
can be experienced
anywhere in the garden.*



B160 & B200

— Louvered Roofs —

The B160 and B200 are among the more affordable slatted pergolas, but provide just as effective protection as the more expensive models.

The fully automatically movable slats can be rotated by up to 135° and thus provide extensive and freely adjustable sun protection.

The special design of the roof prevents heat build-up underneath. In addition, rainwater is optimally drained away through the posts. This means you stay dry even in summer rain and can sit back and relax.

For integrated wind protection up to a certain wind force, a vertical awning is recommended. This also provides lateral sun protection.

Various lighting systems are available as additional elements. LED strips in the slats or the frame, or LED spots, which are also installed in the frame.

Both models are modularly extendable and can be changed in length and width and can be arranged in rows.

SIZE B160XL

Individual module

max. 5.95m × 4.50m × 3.00m

SIZE B200 & B200XL

Individual module

max. 7.00m × 3.50m × 3.00m

max. 7.00m × 4.40m × 3.00m (XL)

The systems can be coupled endlessly.

PROFILE COLORS



SLATS



16.00cm / 21cm (XL) wide | 135° tiltable

INSTALLATION TYPE



Freestanding | Wall-mounted

CONTROLS



Radio motor incl. IO or RTS



PALLADIA

— Folding pergola —

Fashion is fleeting, but style is not. True artistic design is and always will be current and in demand. Just take the Pergotenda Palladia. The simple and efficient design is a testament to uncompromising high quality, created to withstand all of life's adversities and be a loyal companion for many years to come.

The Palladia is ideal for 365 days of outdoor use, as its surface is hard-wearing and weather-resistant, and is unaffected by sun, rain and wind. The folding roof is protected against the effects of rain by its special PVC fabric and can be easily retracted or extended using a hand-held transmitter.

In addition, the design of the Palladia means that with a width of less than 4.50 m, there is no need for a crossbar, giving you an unobstructed view out to the front to enjoy nature.

— The epitome of timeless design – for private users and restaurateurs alike. Robust, elegant and weather-resistant, it creates open spaces that inspire in every season.

SIZE

Individual module
max. 13.00m × 6.50m × 2.50m (W × D × H)
The system can be coupled endlessly in width.

PROFILE COLORS



12 standard colors

INSTALLATION TYPE




Freestanding | Wall-mounted

CONTROLS



Radio motor incl. Arco 10 remote control

FABRIC COLORS



White | Gray | Ivory
Others on request

GASTRONOMY

Due to its huge dimensions, the Pergotenda Palladia is not only suitable for private use, but is also ideal for outdoor catering areas. Dimensions of up to 13.00 m wide and 6.50 m deep are possible. It goes without saying that several modules can be combined with each other, allowing even larger areas to be covered. Moreover, their usability is not limited to the summer when it is warm,

but combined with vertical awnings, the Palladia can also be used to create an outdoor area shielded from the wind and cold in autumn.





VARIANTS

— Options —

Our profile systems can be used for a wide range of shelters and structures for your outdoor area.

In addition to classic patio roofing or a carport for your car, projects such as a bicycle shelter, a rubbish bin or wood storage shelter, a protected area

for your outdoor kitchen or even a roof for your pool can also be constructed.

With our wide range of equipment elements, there are no limits to your imagination!

BARBECUE CANOPY



BIN ENCLOSURE



BICYCLE SHELTER



BBQ/POOL AREA



A photograph of a garden scene. In the background, a wooden privacy screen fence runs across the frame. Behind the fence is a large, leafy green tree. To the left, a stone retaining wall borders a garden bed with various plants. In the foreground, a wooden table stands on a paved area, and a fire pit is visible. The text 'Privacy screen' is written in a white script font, and 'FENCING' is written in a large, bold, white sans-serif font, both overlaid on the bottom right of the image.

Privacy screen
FENCING

AMTS FENCING COMBINES DESIGN, QUALITY AND DURABILITY. INDIVIDUALLY MANUFACTURED AND PERFECTLY COORDINATED, IT OFFERS SECURITY WITH STYLE – FOR OUTDOOR AREAS THAT IMPRESS. ALWAYS.



&
SYSTEMS

Z300

— Fence —

Our fences are perfect for protecting your home from prying eyes. They can be installed on their own or in combination with one of our canopies.

You can choose from aluminium panels in various RAL colours, wood-effect or natural wood panels made from Siberian larch. These can also be combined with various glass or polycarbonate panels to add special accents to the fence. Aluminium panels are available in two different versions:

Tongue and groove panels are always installed without gaps and are therefore 100% opaque. Due to their design, rhombus panels are always installed with gaps. These can be determined individually.

SIZE

Individual fence panel

max. 3.00m × 1.80m (W × H)

The modules can be linked endlessly in width.

PROFILE COLORS




PANEL SHAPES



Tongue & groove | Rhombus | Square

PANEL COLORS



Profile colors | wood look
Canadian Douglas fir

— *More than just separation.*

Privacy, design and quality combined to create a stylish statement for your home.

NEW!

Now with narrower panels, lighting and an integrated gate!

ADVANTAGES AT A GLANCE

- Powder-coated aluminium frame profile
- Can be customised with individual fillings as desired
- Designed for easy installation
- The screw connections are discreetly concealed by an elegant rail
- The hinges and door handles are made of high-quality stainless steel
- The passage door can be integrated individually
- Integrated lighting







Optional **EQUIPMENT**

AMTS FITTINGS ADD THE FINISHING TOUCH TO YOUR OUTDOOR AREA. WHETHER LIGHTING, DOOR SYSTEMS OR CUSTOMISED PANELS – EVERY DETAIL IS WELL THOUGHT OUT, HIGH QUALITY AND PERFECTLY COORDINATED WITH YOUR OVERALL PROJECT. ALWAYS.

ENT

EQUIPMENT

— Options —


LAMINATED SAFETY GLASS (LSG)

- Designed for high safety requirements
- If damaged, fragments stick to the integrated film and do not pose a hazard
- Available in clear or frosted




POLYCARBONATE SHEETS

- Consist of air-filled chambers
- Prevent strong heating in direct sunlight
- Special coating protects against UV radiation
- Inexpensive alternative to LSG



SOLAR GLASS

- Utilizes solar energy and at the same time provides protection under the canopy
- Lets in sufficient light



SOLAR PANELS

- Solar panels on a carport enable the generation of renewable energy
- Panels can be optimally aligned to capture maximum solar energy





Laminated glass clear




Laminated glass frosted



Polycarbonate clear



Polycarbonate milky



Tongue and groove panels



Rhombus panels

Rhombus panels
in wood lookPanels made from canadian
douglas fir

SIDE PANELS

- Material:
 - Laminated safety glass
 - Polycarbonate
 - canadian douglas fir
 - Aluminum panels
- Privacy & weather protection
- Aluminum panels can be mounted with and without spacing

SLIDING GLASS SYSTEM

- All-round closing turns the patio roof into a summer garden
- Glass elements can be opened and closed as required on the rails
- Max. Height: 2.50 m
- Half-height version on railing possible
- Enables sufficient ventilation




SHADING-PANEL

- Slats provide translucent privacy protection
- Can be moved variably by mounting in tracks of a sliding system
- Dimensions: 0.90 - 1.20 m wide, max. height 2.50 m
- Available in all system and RAL colors




EQUIPMENT ROOMS

- Offers large storage space
- High security thanks to lockable steel, aluminum and sliding doors
- Walls can be extended with shelves, hooks and wall systems



RAILING


- Privacy screen from the outside
- Additional safety, especially in winter in icy conditions
- Still ensures sufficient overview and visibility






GABLE TRIANGLE

- Material:
 - Laminated safety glass
 - Polycarbonate
 - Aluminium panels
- Creates a straight surface for mounting side panels and sliding systems




ROLLING GARAGE DOORS FOR CARPORTS

- Carport can easily be converted into a garage
- Can be extended at any time



LED LIGHTING & DARK RADIANT HEATERS

- LEDs dimmable or non-dimmable
- One set contains 6 spots that can be positioned as desired
- Dark radiant heaters are splash-proof to IPX4 standard and suitable for outdoor use



TERRACE ROOF POWER PLANT

- Solar module is easy to install
- Eco-friendly solution to protect the environment.
- Patio roofing with external solar modules offers sustainable energy generation for private households.

DOORS

— Gates —


FIESTA 42 ALUMINIUM DOOR

- Door with multi-point locking system
- With glass and aluminium insert
- Includes aluminium door handle



STEEL DOOR ZK PB

- Frame incl. door leaf
- Fixed dimensions 2000 × 1000 mm
- Ward lock incl. key





ALUMINIUM SWING DOOR - TYPE A

- Swing door without frame
- Customised intermediate dimensions possible
- Various fillings: Aluminium panels, tongue and groove or smooth-edged wooden boards
- Mortise lock with profile cylinder
- Includes stainless steel door handle and hinges



ALUMINIUM SLIDING DOOR 'UNI'

- Special dimensions max. 2000 mm width × 2200 mm height
- Precision-made and customised production
- Plug-in hook lock with profile cylinder
- Rotating stainless steel door knob – on both sides
- Bottom roller guide

ENPOW

— Photovoltaics —

ENPOW COMPANY

Enpow GmbH is a sister company of AMTS GmbH, which specializes in solar products, especially for **industrial and large-scale systems**.

Enpow is a German company with many years of experience in the industry and a professional team of employees. Our goal is to offer our customers

the best possible solution for their individual requirements in the field of renewable energies. To this end, we offer comprehensive advice tailored to your needs. Our experienced staff are always on hand to help you choose the right product.

— The sun doesn't send a bill – those who rely on solar energy are investing in a clean and independent future.



WHAT ENPOW OFFERS

— Services —

CONSULTATION


- Free on-site consultation
- Competent contact person
- Individual solutions

INSTALLATION

- Installation of the solar products including the roofing purchased from AMTS

SOLAR PRODUCTS

- Complete photovoltaic system
- Industrial & large-scale systems
- Storage systems
- Wallbox
- Patio canopy/carport power plant




ENPOW

CONTACT US!

AMTS PRODUCT RANGE

— In pictures —





PRODUCTION

— In Germany —

AMTS AS A TÜV-CERTIFIED MANUFACTURER

All our products are manufactured in-house and adapted to the individual needs of our customers. Every product from AMTS is subject to the guidelines and standards of TÜV Süd.



STORAGE AREA

Our various profile systems in the three standard colors are stored on over 10,500 m² of warehouse and production space. On-time and fast installation is always guaranteed thanks to our constantly stocked warehouse. We can also guarantee collection and installation throughout Europe.

Thanks to our extensive warehouse, we are able to respond promptly to all inquiries and deal with your requests quickly. The storage space also plays a significant role in the price. Additional costs due to intermediaries are avoided here.

PRODUCTION AREA

With the construction of our new production hall in Butzbach and its commissioning in summer 2020, we were able to advance and expand further areas of our in-house production. From now on, we will produce our patented S400, S350, C600+ profile system products and the VSZ vertical awning, as well as the TSZ 600 summer garden awning, all directly in-house. This also enables us to respond more individually to customer wishes and fulfill every customer's exact requirements.

From production to installation - everything from a single source!



PRODUCT DEVELOPMENT

Thanks to our many years of experience with aluminum, we are convinced that aluminum is the perfect material for outdoor use and have therefore made it our mission to constantly develop new innovative products made from this material. We improve well-known products such as bicycle shelters, garbage can boxes and smoker shelters. Using aluminum as a base, we develop new and innovative products.



PRODUCTS FROM OWN PRODUCTION

- Patio canopy
- Garden room
- Flat roof carport
- VSZ vertical awning
- TSZ600 roof awning
- Fence Z300
- Extension elements

WHY ALUMINIUM?

The basic framework of our patio roofs is made of 100% aluminium. Its weather resistance and durability make it the perfect basis for a solid and modern patio roof. We round off these basic properties with a professional powder coating of the profiles to protect them from scratches and impacts. This easy-care coating is particularly easy to clean and

does not flake off even after many years. We only represent certified and high-quality products in the field of aluminium patio roofs. We also attach great importance to high-quality profiles for our roofs and are so convinced of their durability that we offer a 10-year guarantee on our profiles.

— TÜV SÜD certification stands for tested quality, trust and safety – a symbol of reliable standards for 150 years.



The logo for AMTS features a stylized white graphic of a building or roofline above the letters "AMTS" in a bold, sans-serif font, all set against a solid orange background.

AMTS

